



All are CE-marked! Weight - approximately!

Radlader High dump light material bucket



Allowed load 0,8 ton/m³. Meant for wood chips, seeds, coal etc. The cylinders has built-in suspension in both ends and adjustable flow-valve. Bolt-On is standard. Exclusive hydraulic hoses to machine.

Extra equipment: Direct installation

The choice of Bolt-On decides the number of edges and also the dimension of the same. [Bolt-On types: Volvo type I, II, III and CAT-system]

Article no	Volume [lit]	Width [mm]	Depth [mm]	Height [mm]	Weight [kg]	Base Edge
6010013220	1300	2200	1080	1000	900	200x20
6010016220	1600	2200	1080	1070	1040	200x20
6010018220	1800	2200	1080	1125	1080	200x20
6010021240	2100	2400	1080	1125	1130	200x25
6010025250	2500	2500	1190	1175	1210	200x25
6010030250	3000	2500	1250	1250	1330	250x25
6010030270	3000	2700	1200	1200	1330	250x25
6010040250	4000	2500	1450	1540	1500	250x25
6010040270	4000	2700	1380	1540	1630	250x25

6010040280	4000	2800	1380	1540	1700	250x25
6010045270	4500	2700	1430	1550	1700	250x25
6010050300	5000	3000	1270	1390	1990	250x25
6010050270	5000	2700	1490	1660	1770	250x25
6010050280	5000	2800	1380	1540	1860	250x25
6010060300	6000	3000	1560	1800	2220	250x30
6010060270	6000	2700	1670	1840	1980	250x25
6010060280	6000	2800	1620	1840	2000	250x30
6010070270	7000	2700	1860	1980	2460	250x30
6010070280	7000	2800	1820	1950	2460	250x30
6010070300	7000	3000	1750	1900	2460	250x30
6010070320	7000	3200	1700	1830	2460	250x30
6010080320	8000	3200	1790	2040	2800	300x30
6010080300	8000	3000	1850	2025	2700	300x30
6010090320	9000	3200	1890	2060	2980	300x30
6020100320	10000	3200	2000	2200	3480	300x30
6020100340	10000	3400	1940	2130	3480	300x30
6020110370	11000	3700	1950	2160	3700	300x30
6020120370	12000	3700	2000	2210	3900	300x30
6020140400	14000	4000	2110	2200	4280	300x30
6020150400	15000	4000	2225	2270	4400	300x30
6020160400	16000	4000	2290	2320	4600	300x30

Other dimensions on request: +46 [0] 382 676 00 info@abl.se

ABL Box 200 576 24 SÄVSJÖ SWEDEN Tel +46 (0) 382 676 00 Fax +46 (0) 382 615 20 info@abl.se www.abl.se



