





Radlader Mechanical pallet fork



All are CE-marked!
Weight - approximately!



The pallet fork has manually adjustable interspace.

Features: Chrome-axle and bearing made of Oilon

Capacity [tons] at C.G 600 mm

Article no	Capacity [ton]	Width [mm]	F-length [mm]	F-dim [mm]	Weight [kg]
4010251012	2,5	1000	1200	100x40	230
4010251212	2,5	1200	1200	100x40	265
4010251512	2,5	1500	1200	100x40	280
4010401512	4	1500	1200	125x45	340
4010252012	2,5	2000	1200	100x40	310
4010401514	4	1500	1400	125x45	360
4010501512	5	1500	1200	125x50	360
4010401516	4	1500	1600	125x45	385
4010402012	4	2000	1200	125x45	385
4010501514	5	1500	1400	125x50	380

4010402014	4	2000	1400	125x45	405
4010501516	5	1500	1600	125x50	405
4010502012	5	2000	1200	125x50	405
4010402016	4	2000	1600	125x45	430
4010502014	5	2000	1400	125x50	425
4010502016	5	2000	1600	125x50	450
4010701512	7	1500	1200	150x60	520
4010801512	8	1500	1200	150x60	545
4010702012	7	2000	1200	150x60	580
4010701516	7	1500	1600	150x60	590
4010801516	8	1500	1600	150x60	605
4010802012	8	2000	1200	150x60	615
4010702016	7	2000	1600	150x60	640
4010802516	8	2500	1600	150x60	730
4021001515	10	1500	1500	180x65	720
4021201515	12	1500	1500	180x65	765
4021002015	10	2000	1500	180x65	800
4021202015	12	2000	1500	180x65	845
4021002515	10	2500	1500	180x65	895
4021202515	12	2500	1500	180x65	905
4021601515	16	1500	1500	180x80	980
4021602015	16	2000	1500	180x80	1120
4021602515	16	2500	1500	180x80	1180

Other dimensions on request: +46 [0] 382 676 00 info@abl.se



